


Weighing and Batching System



Foundry Alloy Weighing and Batching

This Weighing and Batching System uses multiple L-Type Vibratory Feeders to feed individual ingredients onto one STEDI-FLO™ Vibratory Feeder. The STEDI-FLO Vibratory Feeder is mounted on four load cells, one under each spring support leg. Individual ingredients are weighed in succession until the weighed batch is complete. All L-Type

Vibratory Feeders are pneumatic powered, and have multiple slow speeds, as desired, to obtain the highest accuracy of ingredient weight possible. When a batch is complete, all materials are conveyed on the STEDI-FLO Vibratory Feeder to a single destination point.

Dimensions and specifications subject to change without notice.
Kraus Vibratory Equipment® is a registered trademark and STEDI-FLO™ is a trademark of Dynamic Air Inc., St. Paul, Minnesota.

U.S. and Foreign Patents Pending
© 2014 Kraus Vibratory Equipment
Bulletin K110531-T20 (dm)

KRAUS®
VIBRATORY EQUIPMENT
A division of Dynamic Air Inc.

Corporate Headquarters
Dynamic Air Inc. • St. Paul, MN USA • +1 651 484-2900
Worldwide Offices
Australia • Brazil • China • United Kingdom
www.dynamicair.com • www.krausvibratory.com